251 – 39

Neues Jahrbuch für Mineralogie

Begründet 1807

Monatshefte

Redaktion
C[illegible]-A[illegible]ST Madison New Jersey K. R. MEHNERT Berlin
H[illegible]FELD Hamburg F. SEIFERT Kiel R. A. YUND Providence

Jahrgang 1984 · Mit zahlreichen Abbildungen und Tabellen im Text

E. Schweizerbart'sche Verlagsbuchhandlung
(Nägele u. Obermiller) · Stuttgart 1984

Alle Rechte, auch das der Übersetzung, vorbehalten

Printed in Germany

Jegliche Vervielfältigung einschließlich photomechanischer Wiedergabe der in dem Band enthaltenen Beiträge oder Teile daraus nur mit ausdrücklicher Genehmigung durch den Verlag.

Calwer Druckzentrum GmbH

Inhalt

Seite

brecht, J.: Dehydration reactions of inesite, $Ca_2Mn_7Si_{10}O_{28}(OH)_2 \cdot 5H_2O$. With 5 figures and 4 tables in the text 70

ckermand, D., Herd, R. K. & Windley, B. F.: Kornerupine replacement reactions involving tourmaline, Fiskenaesset region, W Greenland. With 2 figures and 2 tables in the text 490

mthauer, G. s. Rager, H.

shworth, J. R. s. Evirgen, M. M.

alenzano, F., Dell'Anna, L., Di Pierro, M. & Fiore, S.: Ardealite, $CaHPO_4CaSO_4 \cdot 4H_2O$: a new occurrence and new data. With 1 figure and 2 tables in the text 461

altatzis, E.: A new occurrence of rodingite from Skiros island, Greece. With 1 figure and 1 table in the text 317

ank, H. s. Schmetzer, K.

arrese, E., Burragato, F. & Flamini, A.: A new synthesis of vonsenite. With 2 figures and 2 tables in the text 483

aur, W. H. s. Tillmanns, E.

eran, A.: Auflichtoptische Untersuchungen von „metallischem Selen" und Tellur. [Reflected light investigations of "metallic selenium" and tellurium.] Mit 1 Abbildung und 2 Tabellen im Text 83

ohlen, S. R.: Equilibria for precise pressure calibration and a frictionless furnace assembly for the piston-cylinder apparatus. With 3 figures and 2 tables in the text 404

urckhardt, J. J.: Die Entdeckung der 32 Kristallklassen durch M. L. Frankenheim im Jahre 1826 481

urke, E. A. J. s. Povondra, P.

urragato, F. s. Barrese, E.

abri, L. J. & Harris, D. C.: Comments on "silver-bearing chalcopyrite" from Garpenberg Norra 383

ampbell, T. J. s. Dunn, P. J.

ech, F. s. Povondra, P.

ejka, J., Mrázek, Z. & Urbanec, Z.: New data on sharpite, a calcium uranyl carbonate. With 2 figures and 4 tables in the text 109

ohen, A. J. & Makar, L. N.: Differing effects of ionizing radiation in massive and single crystal rose quartz. With 3 figures and 1 table in the text 513

eelman, J. C.: Low-temperature synthesis of eitelite, $Na_2CO_3 \cdot MgCO_3$ 468

eganello, S.: The crystal structure of cesanite at 336 and 390 °C. With 2 figures and 3 tables in the text 522

ell'Anna, L. s. Balenzano, F.

i Girolamo, P. & Rolandi, G.: Absence of a trachytic period on Somma-Vesuvius (southern Italy) and petrological implications for the genesis of leucite-bearing rocks. With 3 figures in the text 424

Dill, H.: Diagenetic sulfide mineralization in the Lower Zechstein beds from N Bavaria. With 5 figures in the text 118

Di Pierro, M. s. Balenzano, F.

Dunn, P. J. s. Walenta, K.

Dunn, P. J., Peacor, D. R., Roberts, W. L., Campbell, T. J. & Ramik, R. A.: Walentaite, a new calcium iron arsenate phosphate from the White Elephant Mine, Pringle, South Dakota. With 1 figure and 1 table in the text 169

Effenberger, H. & Kluger, F.: Ralstonit: ein Beitrag zur Kenntnis von Zusammensetzung und Kristallstruktur. [Ralstonite: a contribution to the knowledge of composition and crystal structure.] Mit 2 Abbildungen und 4 Tabellen im Text 97

Ericsson, T. & Nord, A. G.: Mössbauer studies of two natural phosphophyllites. With 1 figure and 2 tables in the text 193

Evers, Th. J. J. M. & Wevers, J. M. A.: The composition and related optical axial angle of sillimanites sampled from the high-grade metamorphic Precambrian of Rogaland, SW Norway. With 6 figures and 3 tables in the text 49

Evirgen, M. M. & Ashworth, J. R.: Andalusitic and kyanitic facies series in the central Menderes Massif, Turkey. With 5 figures in the text 219

Eysel, W. s. Mutter, G.

Fälth, L. s. Hansen, S.

Fiore, S. s. Balenzano, F.

Fischer, R. X. s. Tillmanns, E.

Flamini, A. s. Barrese, E.

Follner, H.: Fourier transform of crystal morphology, a practicable way to extend the Kossel-Stranski method to complicated structures. 14th communication. With 5 figures in the text 365

Fricke, A. s. Wörner, G.

Galli, E. s. Mazzi, F.

Gallo, F., Giammetti, F., Venturelli, G. & Vernia, L.: The kamafugitic rocks of San Venanzo and Cuppaello, Central Italy. With 2 figures and 2 tables in the text 198

Giammetti, F. s. Gallo, F.

Giuseppetti, G. & Tadini, C.: The crystal structure of childrenite from Tavistock (SW England), $Ch_{89}Eo_{11}$ term of childrenite–eosphorite series. With 1 figure and 4 tables in the text 263

Golovanova, T. I. s. Mookherjee, A.

Gottardi, G. s. Mazzi, F.

Greis, O. s. Mutter, G.

Hansen, S., Fälth, L., Petersen, O. V. & Johnsen, O.: Bergslagite, a new mineral species from Långban, Sweden. With 2 tables in the text 257

arris, D. C. s. Cabri, L. J.

ein, U. F., Möller, P. & Schneider, H.-J.: Rare earth element fractionation in fluorite as a geochemical indicator of ore deposition in Triassic carbonate rocks of the Eastern and Southern Alps. With 6 figures in the text 305

lerd, R. K. s. Ackermand, D.

lodenberg, R. v., Krause, W. & Täuber, H: Schulenbergit, $(Cu,Zn)_7(SO_4,CO_3)_2(OH)_{10} \cdot 3H_2O$, ein neues Mineral. [Schulenbergite, a new mineral.] Mit 1 Abbildung und 3 Tabellen im Text 17

ohnsen, O. s. Hansen, S.

ones, A. P. & Smith, J. V.: Ion probe analysis of H, Li, B, F and Ba in micas, with additional data for metamorphic amphibole, scapolite and pyroxene. With 6 figures and 2 tables in the text 228

Kalogeropoulos, S. I.: Composition of arsenopyrite from the Olympias Pb-Zn massive sulfide deposit, Chalkidiki Peninsula, N. Greece. With 2 figures and 1 table in the text 296

Karup-Møller, S. s. Moëlo, Y.

Karup-Møller, S. & Petersen, O. V.: Tuperssuatsiaite, a new mineral species from the Ilímaussaq intrusion in South Greenland. With 4 figures and 4 tables in the text 501

Kato, K.: Plotter-drawing of print-ready twin figures. With 2 figures in the text 92

Klein, H. & Wimmenauer, W.: Eclogites and their retrograde transformation in the Schwarzwald (Fed. Rep. Germany). With 7 figures and 3 tables in the text 25

Kluger, F. s. Effenberger, H.

Krause, W. s. Hodenberg, R. v.

Leoni, L., Polizzano, C., Sartori, F. & Sensi, L.: Chemical and mineralogical transformations induced in Pliocene clays by a small subvolcanic body and consequences for the storage of radioactive wastes. With 5 figures and 3 tables in the text 155

Majdic, A. s. Schneider, H.

Makar, L. N. s. Cohen, A. J.

Makovicky, E. s. Moëlo, Y.

Mazzi, F., Galli, E. & Gottardi, G.: Crystal structure refinement of two tetragonal edingtonites. With 2 figures and 4 tables in the text 373

McQueen, K. G.: Meneghinite, boulangerite and associated minerals from the Pinnacles mine, Broken Hill, New South Wales. With 2 figures and 3 tables in the text 323

Mishra, B. s. Mookherjee, A.

Möller, P. s. Hein, U. F.

Moëlo, Y., Makovicky, E. & Karup-Møller, S.: New data on the minerals of the andorite series. With 1 table in the text 175

Mookherjee, A., Mozgova, N. N., Golovanova, T. I. & Mishra, B.: Rare minerals from Rajpura-Dariba, Rajasthan, India VI: Thalcusite, its geochemical significance. With 3 figures and 2 tables in the text 444

Morten, L. & Puga, E.: Blades of olivines and orthopyroxenes in ultramafic rocks from the Cerro del Almirez, Sierra Nevada Complex, Spain: relics of quench-textured harzburgites? With 4 figures and 1 table in the text 211

Mozgova, N. N. s. Mookherjee, A.

Mrázek, Z. s. Čejka, J.

Mrázek, Z. & Vrána, S.: Highly aluminian titanite from a plagioclase-fluorite pegmatite in skarn at Vlastějovice, Czechoslovakia. With 2 tables in the text 251

Müller, G. & Strauß, K. W.: Tremolite from Nord Talgje, Boknfjord, South Norway: a microprobe standard. With 3 tables in the text ... 543

Mutter, G., Eysel, W., Greis, O. & Schmetzer, K.: Crystal chemistry of natural and ion-exchanged pharmacosiderites. With 4 figures and 3 tables in the text 183

Neumann, E. & Schmetzer, K.: Mechanism of thermal conversion of colour and colour centres by heat treatment of amethyst. With 2 figures in the text 272

Nord, A. G.: Possible disorder in the thortveitite-type $Mn_2V_2O_7$ structure. With 3 tables in the text 283

– s. Ericsson, T.

Novák, M. & Povondra, P.: Wagnerite from Skřinářov, central Czechoslovakia. With 2 figures and 3 tables in the text 536

Nuber, B. s. Schmetzer, K.

Nuber, B. & Schmetzer, K.: Structural refinement of tsilaisite (manganese tourmaline). With 2 tables in the text 301

Ostwald, J.: Some observations on the genesis of nsutite. With 4 figures and 1 table in the text 383

– Some observations on the 7 Å X-ray reflection in marine manganese nodules. With 3 figures in the text .....

– The influence of clay mineralogy on the crystallization of the tetravalent manganese layer-lattice minerals. With 1 figure and 1 table in the text .....

Peacor, D. R. s. Dunn, P. J.

Petersen, O. V. s. Hansen, S.

– s. Karup-Møller, S.

Polizzano, C. s. Leoni, L.

Povondra, P. s. Novák, M.

Povondra, P., Čech, F. & Burke, E. A. J.: Sodian-beryllian cordierite from Gammelmorskärr, Kemiö Island, Finland, and its decomposition products. With 2 figures and 2 tables in the text 12

Puga, E. s. Morten, L.

Puziewicz, J. & Wojewoda, J.: Origin of load structures and graded beddings of dark minerals in the Strzegom granites (SW Poland) – A sedimentological and petrological approach. With 6 figures in the text 353

Rager, H., Zabinski, W. & Amthauer, G.: EPR study of South African grossularites ("South African jades"). With 4 figures in the text .. 433

Ramik, R. A. s. Dunn, P. J.

Roberts, W. L. s. Dunn, P. J.

Rolandi, G. s. Di Girolamo, P.

Santosh, M.: Fluid inclusion petrography of charnockites from the granulite facies terrain of Kerala, south-west India. With 3 figures in the text .. 337

– Nature of ore fluids in the Odara rare metal pegmatite, Kerala, India. With 6 figures in the text 241

Sartori, F. s. Leoni, L.

Schmetzer, K. s. Mutter, G.

– s. Neumann, E.

– s. Nuber, B.

Schmetzer, K. & Bank, H.: Crystal chemistry of tsilaisite (manganese tourmaline) from Zambia. With 1 figure and 2 tables in the text 61

Schmetzer, K., Nuber, B. & Tremmel, G.: Betpakdalit aus Tsumeb, Namibia: Mineralogie, Kristallchemie und Struktur. [Betpakdalite from Tsumeb, Namibia: mineralogy, crystal chemistry and structure.] Mit 4 Abbildungen und 5 Tabellen im Text 393

Schneider, H. & Majdic, A.: Iron incorporation in tridymite and cristobalite. With 2 figures and 4 tables in the text 559

Schneider, H.-J. s. Hein, U. F.

Sensi, L. s. Leoni, L.

Shelton, K. L.: Interpretation of characteristic mineral parageneses in tungsten-molybdenum quartz vein-type deposits. With 2 figures and 1 table in the text 455

Smith, J. V. s. Jones, A. P.

Smith, J. V. & Steele, I. M.: Chemical substitution in silica polymorphs. With 2 figures and 1 table in the text 137

Steele, I. M. s. Smith, J. V.

Strauß, K. W. s. Müller, G.

Tadini, C. s. Giuseppetti, G.

Täuber, H. s. Hodenberg, R. v.

Tillmanns, E., Fischer, R. X. & Baur, W. H.: Chabazite-type framework in the new zeolite willhendersonite, $KCaAl_3Si_3O_{12} \cdot 5H_2O$. With 6 figures and 4 tables in the text 547

Tremmel, G. s. Schmetzer, K.

Trbanec, Z. s. Čejka, J.

Venturelli, G. s. Gallo, F.

Vernia, L. s. Gallo, F.

Visonà, D. & Zirpoli, G.: The Moschumandl acidic body (Iseltal, Austria). With 6 figures and 3 tables in the text 413

Vrána, S. s. Mrázek, Z.

Walenta, K.: Phyllotungstit, ein neues sekundäres Wolframmineral aus der Grube Clara im mittleren Schwarzwald. [Phyllotungstite, a new secondary tungsten mineral from the Clara Mine in the Central Black Forest.] Mit 1 Tabelle im Text 529

Walenta, K. & Dunn, P. J.: Rankachit, ein neues Mineral aus der Grube Clara im mittleren Schwarzwald. [Rankachite, a new mineral from the Clara Mine in the Central Black Forest.] Mit 2 Abbildungen und 1 Tabelle im Text 289

Wang, N.: A contribution to the Cu–Fe–S system: The sulfidization of bornite at low temperatures. With 1 figure and 1 table in the text 346

Wevers, J. M. A. s. Evers, Th. J. J. M.

Wimmenauer, W. s. Klein, H.

Windley, B. F. s. Ackermand, D.

Wörner, G. & Fricke, A.: Fluid inclusions in corundum from a contact metamorphic xenolith of the Quaternary Wehr volcano (East Eifel, Germany). With 5 figures in the text 39

Wojewoda, J. s. Puziewicz, J.

Zabinski, W. s. Rager, H.

Zakrzewski, M. A.: Ore minerals from the Getberg mine, Långban area, Sweden; the probable Co-analogue of nisbite. With 2 figures and 2 tables in the text 145

Zirpoli, G. s. Visonà, D.